





WĄŻ W OPŁOCIE STALOWYM DN6



AISI 304

EPDM




Nazwa	Kod	Długość	Op.szt.
W 3/8 - M8x1 	702-06/20	20cm	10
	702-06/30	30 cm	10
	702-06/40	40 cm	10
	702-06/50	50 cm	10
	702-06/60	60 cm	10
	702-06/80	80 cm	10
	702-06/100	100 cm	10
W 1/2 - M8x1 	701-06/20	20cm	10
	701-06/30	30 cm	10
	701-06/40	40 cm	10
	701-06/50	50 cm	10
	701-06/60	60 cm	10
	701-06/80	80 cm	10
	701-06/100	100 cm	10
W 3/8 - ML8x1 	712-06/20	20cm	10
	712-06/30	30 cm	10
	712-06/40	40 cm	10
	712-06/50	50 cm	10
	712-06/60	60 cm	10
	712-06/80	80 cm	10
	712-06/100	100 cm	10
W 1/2 - ML8x1 	711-06/20	20cm	10
	711-06/30	30 cm	10
	711-06/40	40 cm	10
	711-06/50	50 cm	10
	711-06/60	60 cm	10
	711-06/80	80 cm	10
	711-06/100	100 cm	10






WĄŻ W OPLOCIE STALOWYM DN8

















AISI 304

EPDM

Nazwa	Kod	Długość	Op.szt.
W 3/8 - M10x1 	202-08/15	15cm	10
	202-08/20	20cm	10
	202-08/25	25cm	10
	202-08/30	30 cm	10
	202-08/35	35 cm	10
	202-08/40	40 cm	10
	202-08/45	45 cm	10
	202-08/50	50 cm	10
	202-08/60	60 cm	10
	202-08/70	70 cm	10
	202-08/80	80 cm	10
	202-08/90	90cm	10
	202-08/100	100 cm	10
W 1/2 - M10x1 	201-08/15	15cm	10
	201-08/20	20cm	10
	201-08/25	25cm	10
	201-08/30	30 cm	10
	201-08/35	35 cm	10
	201-08/40	40 cm	10
	201-08/45	45 cm	10
	201-08/50	50 cm	10
	201-08/60	60 cm	10
	201-08/70	70 cm	10
	201-08/80	80 cm	10
	201-08/90	90cm	10
	201-08/100	100 cm	10
W 3/8 - ML10x1 	212-08/15	15cm	10
	212-08/20	20cm	10
	212-08/25	25cm	10
	212-08/30	30 cm	10
	212-08/35	35 cm	10
	212-08/40	40 cm	10
	212-08/45	45 cm	10
	212-08/50	50 cm	10
	212-08/60	60 cm	10
	212-08/70	70 cm	10
	212-08/80	80 cm	10
	212-08/90	90cm	10
	212-08/100	100 cm	10

W 1/2 - ML10x1 	211-08/15	15cm	10
	211-08/20	20cm	10
	211-08/25	25cm	10
	211-08/30	30 cm	10
	211-08/35	35 cm	10
	211-08/40	40 cm	10
	211-08/45	45 cm	10
	211-08/50	50 cm	10
	211-08/60	60 cm	10
	211-08/70	70 cm	10
	211-08/80	80 cm	10
	211-08/90	90cm	10
	211-08/100	100 cm	10
fi 10mm - M10x1 	221-08/20	20cm	10
	221-08/30	30 cm	10
	221-08/40	40 cm	10
	221-08/50	50 cm	10
	221-08/60	60 cm	10
fi 10mm - ML10x1 	222-08/20	20cm	10
	222-08/30	30 cm	10
	222-08/40	40 cm	10
	222-08/50	50 cm	10
	222-08/60	60 cm	10
W 3/8 - W 3/8 	273-08/15	15cm	10
	273-08/20	20 cm	10
	273-08/25	25 cm	10
	273-08/30	30 cm	10
	273-08/35	35 cm	10
	273-08/40	40 cm	10
	273-08/45	45 cm	10
	273-08/50	50 cm	10
	273-08/60	60 cm	10
	273-08/70	70 cm	10
	273-08/80	80 cm	10
	273-08/90	90 cm	10
	273-08/100	100 cm	10
W 1/2 - W 3/8 	272-08/15	15cm	10
	272-08/20	20 cm	10
	272-08/25	25 cm	10
	272-08/30	30 cm	10
	272-08/35	35 cm	10
	272-08/40	40 cm	10
	272-08/45	45 cm	10
	272-08/50	50 cm	10
	272-08/60	60 cm	10
	272-08/70	70 cm	10
	272-08/80	80 cm	10
	272-08/90	90 cm	10
	272-08/100	100 cm	10

W 1/2 - W 1/2 	271-08/15	15cm	10
	271-08/20	20 cm	10
	271-08/25	25 cm	10
	271-08/30	30 cm	10
	271-08/35	35 cm	10
	271-08/40	40 cm	10
	271-08/45	45 cm	10
	271-08/50	50 cm	10
	271-08/60	60 cm	10
	271-08/70	70 cm	10
	271-08/80	80 cm	10
	271-08/90	90 cm	10
	271-08/100	100 cm	10
	271-08/120	120 cm	5
	271-08/150	150 cm	5
	271-08/180	180 cm	5
	271-08/200	200 cm	5
Z 1/2 - W 1/2 	281-08/20	20 cm	10
	281-08/30	30 cm	10
	281-08/40	40 cm	10
	281-08/50	50 cm	10
	281-08/60	60 cm	10
	281-08/80	80 cm	10
	281-08/100	100 cm	10
Z 1/2 - W 3/8 	282-08/20	20 cm	10
	282-08/30	30 cm	10
	282-08/40	40 cm	10
	282-08/50	50 cm	10
	282-08/60	60 cm	10
	282-08/80	80 cm	10
	282-08/100	100 cm	10
Z 3/8 - W 3/8 	283-08/20	20 cm	10
	283-08/30	30 cm	10
	283-08/40	40 cm	10
	283-08/50	50 cm	10
	283-08/60	60 cm	10
	283-08/80	80 cm	10
	283-08/100	100 cm	10
Z 3/8 - W 1/2 	284-08/20	20 cm	10
	284-08/30	30 cm	10
	284-08/40	40 cm	10
	284-08/50	50 cm	10
	284-08/60	60 cm	10
	284-08/80	80 cm	10
	284-08/100	100 cm	10
Z 1/2 - W 1/2  nowość!	285-08/20	20 cm	10
	285-08/30	30 cm	10
	285-08/40	40 cm	10
	285-08/50	50 cm	10
	285-08/60	60 cm	10
	285-08/80	80 cm	10
	285-08/100	100 cm	10





fi 10mm - W 1/2 	241-08/20	20 cm	10
	241-08/30	30 cm	10
	241-08/40	40 cm	10
	241-08/50	50 cm	10
	241-08/60	60 cm	10
	241-08/80	80 cm	10
fi 10mm - W 3/8 	242-08/20	20 cm	10
	242-08/30	30 cm	10
	242-08/40	40 cm	10
	242-08/50	50 cm	10
	242-08/60	60 cm	10
	242-08/80	80 cm	10
10mm - Z 1/2 	251-08/20	20 cm	10
	251-08/30	30 cm	10
	251-08/40	40 cm	10
	251-08/50	50 cm	10
	251-08/60	60 cm	10
	251-08/80	80 cm	10
fi 10mm - Z 3/8 	252-08/20	20 cm	10
	252-08/30	30 cm	10
	252-08/40	40 cm	10
	252-08/50	50 cm	10
	252-08/60	60 cm	10
	252-08/80	80 cm	10
KOL 1/2 - W 1/2 	291-08/20	20 cm	10
	291-08/30	30 cm	10
	291-08/40	40 cm	10
	291-08/50	50 cm	10
	291-08/60	60 cm	10
	291-08/80	80 cm	10
KOL 3/8 - W 1/2 	292-08/20	20 cm	10
	292-08/30	30 cm	10
	292-08/40	40 cm	10
	292-08/50	50 cm	10
	292-08/60	60 cm	10
	292-08/80	80 cm	10
KOL 3/8 - W 3/8 	293-08/20	20 cm	10
	293-08/30	30 cm	10
	293-08/40	40 cm	10
	293-08/50	50 cm	10
	293-08/60	60 cm	10
	293-08/80	80 cm	10
KOL 1/2 - W 3/8 	294-08/20	20 cm	10
	294-08/30	30 cm	10
	294-08/40	40 cm	10
	294-08/50	50 cm	10
	294-08/60	60 cm	10
	294-08/80	80 cm	10




WĄŻ W OPŁOCIE STALOWYM DN10





AISI 304


EPDM

Nazwa	Kod	Długość	Op.
Z 1/2 - W 1/2 	011-10/20	20 cm	10
	011-10/30	30 cm	10
	011-10/40	40 cm	10
	011-10/50	50 cm	10
	011-10/60	60 cm	10
	011-10/80	80 cm	10
	011-10/100	100 cm	10
Z 3/8 - W 3/8 	015-10/20	20 cm	10
	015-10/30	30 cm	10
	015-10/40	40 cm	10
	015-10/50	50 cm	10
	015-10/60	60 cm	10
	015-10/80	80 cm	10
	015-10/100	100 cm	10
Z 1/2 - W 3/8 	012-10/20	20 cm	10
	012-10/30	30 cm	10
	012-10/40	40 cm	10
	012-10/50	50 cm	10
	012-10/60	60 cm	10
	012-10/80	80 cm	10
	012-10/100	100 cm	10
Z 3/8 - W 1/2 	014-10/20	20 cm	10
	014-10/30	30 cm	10
	014-10/40	40 cm	10
	014-10/50	50 cm	10
	014-10/60	60 cm	10
	014-10/80	80 cm	10
	014-10/100	100 cm	10

W 3/8 - W 3/8 	003-10/15	15 cm	10
	003-10/20	20 cm	10
	003-10/25	25 cm	10
	003-10/30	30 cm	10
	003-10/35	35 cm	10
	003-10/40	40 cm	10
	003-10/45	45 cm	10
	003-10/50	50 cm	10
	003-10/60	60 cm	10
	003-10/70	70 cm	10
	003-10/80	80 cm	10
	003-10/90	90 cm	10
	003-10/100	100 cm	10
W 3/8 - W 1/2 	002-10/15	15 cm	10
	002-10/20	20 cm	10
	002-10/25	25 cm	10
	002-10/30	30 cm	10
	002-10/35	35 cm	10
	002-10/40	40 cm	10
	002-10/45	45 cm	10
	002-10/50	50 cm	10
	002-10/60	60 cm	10
	002-10/70	70 cm	10
	002-10/80	80 cm	10
	002-10/90	90 cm	10
	002-10/100	100 cm	10
W 1/2 - W 1/2 	001-10/15	15 cm	10
	001-10/20	20 cm	10
	001-10/25	25 cm	10
	001-10/30	30 cm	10
	001-10/35	35 cm	10
	001-10/40	40 cm	10
	001-10/45	45 cm	10
	001-10/50	50 cm	10
	001-10/60	60 cm	10
	001-10/70	70 cm	10
	001-10/80	80 cm	10
	001-10/90	90 cm	10
	001-10/100	100 cm	10
	001-10/120	120 cm	5
	001-10/150	150 cm	5
	001-10/180	180 cm	5
	001-10/200	200 cm	5





W 1/2 - W 3/4 	004-10/20	20 cm	10
	004-10/30	30 cm	10
	004-10/40	40 cm	10
	004-10/50	50 cm	10
	004-10/60	60 cm	10
	004-10/80	80 cm	10
	004-10/100	100 cm	10
W 3/4 - W 3/4 	005-10/20	20 cm	10
	005-10/30	30 cm	10
	005-10/40	40 cm	10
	005-10/50	50 cm	10
	005-10/60	60 cm	10
	005-10/80	80 cm	10
	005-10/100	100 cm	10








WĄŻ W OPŁOCIE STALOWYM DN13



AISI 304

EPDM

Nazwa	Kod	Długość	Op.
W 1/2 - W 1/2 	401-13/20	20 cm	10
	401-13/30	30 cm	10
	401-13/40	40 cm	10
	401-13/50	50 cm	10
	401-13/60	60 cm	10
	401-13/70	70 cm	10
	401-13/80	80 cm	10
	401-13/90	90 cm	10
	401-13/100	100 cm	10
W 1/2 - W 3/4 	402-13/20	20 cm	10
	402-13/30	30 cm	10
	402-13/40	40 cm	10
	402-13/50	50 cm	10
	402-13/60	60 cm	10
	402-13/70	70 cm	10
	402-13/80	80 cm	10
	402-13/90	90 cm	10
	402-13/100	100 cm	10
W 3/4 - W 3/4 	403-13/20	20 cm	10
	403-13/30	30 cm	10
	403-13/40	40 cm	10
	403-13/50	50 cm	10
	403-13/60	60 cm	10
	403-13/70	70 cm	10
	403-13/80	80 cm	10
	403-13/90	90 cm	10
	403-13/100	100 cm	10
Z 1/2 - W 1/2 	411-13/20	20 cm	10
	411-13/30	30 cm	10
	411-13/40	40 cm	10
	411-13/50	50 cm	10
	411-13/60	60 cm	10
	411-13/70	70 cm	10
	411-13/80	80 cm	10
	411-13/90	90 cm	10
	411-13/100	100 cm	10






Z 1/2 - W 3/4 	412-13/20	20 cm	10
	412-13/30	30 cm	10
	412-13/40	40 cm	10
	412-13/50	50 cm	10
	412-13/60	60 cm	10
	412-13/80	80 cm	10
	412-13/100	100 cm	10
Z 3/4 - W 3/4 	413-13/20	20 cm	10
	413-13/30	30 cm	10
	413-13/40	40 cm	10
	413-13/50	50 cm	10
	413-13/60	60 cm	10
	413-13/80	80 cm	10
	413-13/100	100 cm	10
Z 3/4 - W 1/2 	414-13/20	20 cm	10
	414-13/30	30 cm	10
	414-13/40	40 cm	10
	414-13/50	50 cm	10
	414-13/60	60 cm	10
	414-13/80	80 cm	10
	414-13/100	100 cm	10
KOL 1/2 - W 1/2 	421-13/20	20 cm	10
	421-13/30	30 cm	10
	421-13/40	40 cm	10
	421-13/50	50 cm	10
	421-13/60	60 cm	10
	421-13/80	80 cm	10
	421-13/100	100 cm	10
KOL 3/4 - W 1/2 	422-13/20	20 cm	10
	422-13/30	30 cm	10
	422-13/40	40 cm	10
	422-13/50	50 cm	10
	422-13/60	60 cm	10
	422-13/80	80 cm	10
	422-13/100	100 cm	10
KOL 3/4 - W 3/4 	423-13/20	20 cm	10
	423-13/30	30 cm	10
	423-13/40	40 cm	10
	423-13/50	50 cm	10
	423-13/60	60 cm	10
	423-13/80	80 cm	10
	423-13/100	100 cm	10
KOL 1/2 - W 3/4 	428-13/20	20 cm	10
	428-13/30	30 cm	10
	428-13/40	40 cm	10
	428-13/50	50 cm	10
	428-13/60	60 cm	10
	428-13/80	80 cm	10
	428-13/100	100 cm	10







WĄŻ W OPŁOCIE STALOWYM DN16



AISI 304

EPDM

Nazwa	Kod	Długość	Op.
W 1/2 - W 1/2 	501-16/20	20 cm	10
	501-16/30	30 cm	10
	501-16/40	40 cm	10
	501-16/50	50 cm	10
	501-16/60	60 cm	10
	501-16/80	80 cm	10
	501-16/100	100 cm	10
W 1/2 - W 3/4 	502-16/20	20 cm	10
	502-16/30	30 cm	10
	502-16/40	40 cm	10
	502-16/50	50 cm	10
	502-16/60	60 cm	10
	502-16/80	80 cm	10
	502-16/100	100 cm	10
W 3/4 - W 3/4 	503-16/20	20 cm	10
	503-16/30	30 cm	10
	503-16/40	40 cm	10
	503-16/50	50 cm	10
	503-16/60	60 cm	10
	503-16/80	80 cm	10
	503-16/100	100 cm	10
Z 1/2 - W 1/2 	511-16/20	20 cm	10
	511-16/30	30 cm	10
	511-16/40	40 cm	10
	511-16/50	50 cm	10
	511-16/60	60 cm	10
	511-16/80	80 cm	10
	511-16/100	100 cm	10
Z 1/2 - W 3/4 	512-16/20	20 cm	10
	512-16/30	30 cm	10
	512-16/40	40 cm	10
	512-16/50	50 cm	10
	512-16/60	60 cm	10
	512-16/80	80 cm	10
	512-16/100	100 cm	10




Z 3/4 - W 3/4 	513-16/20	20 cm	10
	513-16/30	30 cm	10
	513-16/40	40 cm	10
	513-16/50	50 cm	10
	513-16/60	60 cm	10
	513-16/80	80 cm	10
	513-16/100	100 cm	10
Z 3/4 - W 1/2 	514-16/20	20 cm	10
	514-16/30	30 cm	10
	514-16/40	40 cm	10
	514-16/50	50 cm	10
	514-16/60	60 cm	10
	514-16/80	80 cm	10
	514-16/100	100 cm	10
KOL 1/2 - W 1/2 	521-16/20	20 cm	10
	521-16/30	30 cm	10
	521-16/40	40 cm	10
	521-16/50	50 cm	10
	521-16/60	60 cm	10
	521-16/80	80 cm	10
	521-16/100	100 cm	10
KOL 3/4 - W 1/2 	522-16/20	20 cm	10
	522-16/30	30 cm	10
	522-16/40	40 cm	10
	522-16/50	50 cm	10
	522-16/60	60 cm	10
	522-16/80	80 cm	10
	522-16/100	100 cm	10
KOL 3/4 - W 3/4 	523-16/20	20 cm	10
	523-16/30	30 cm	10
	523-16/40	40 cm	10
	523-16/50	50 cm	10
	523-16/60	60 cm	10
	523-16/80	80 cm	10
	523-16/100	100 cm	10
KOL 1/2 - W 3/4 	524-16/20	20 cm	10
	524-16/30	30 cm	10
	524-16/40	40 cm	10
	524-16/50	50 cm	10
	524-16/60	60 cm	10
	542-16/80	80 cm	10
	524-16/100	100 cm	10

WĄŻ W OPŁOCIE STALOWYM DN19



AISI 304

EPDM




Nazwa	Kod	Długość	Op.
W 3/4 - W 3/4 	AVF/19/001/30	30 cm	1
	AVF/19/001/40	40 cm	1
	AVF/19/001/50	50 cm	1
	AVF/19/001/60	60 cm	1
	AVF/19/001/70	70 cm	1
	AVF/19/001/80	80 cm	1
	AVF/19/001/90	90 cm	1
	AVF/19/001/100	100 cm	1
	AVF/19/001/120	120cm	1
	AVF/19/001/150	150cm	1
	AVF/19/001/200	200cm	1
W 3/4 - Z 3/4 	AVF/19/002/30	30 cm	1
	AVF/19/002/40	40 cm	1
	AVF/19/002/50	50 cm	1
	AVF/19/002/60	60 cm	1
	AVF/19/002/70	70 cm	1
	AVF/19/002/80	80 cm	1
	AVF/19/002/90	90 cm	1
	AVF/19/002/100	100 cm	1
	AVF/19/002/120	120cm	1
	AVF/19/002/150	150cm	1
	AVF/19/002/200	200cm	1
KOL 3/4 - W 3/4 	AVF/19/003/30	30 cm	1
	AVF/19/003/40	40 cm	1
	AVF/19/003/50	50 cm	1
	AVF/19/003/60	60 cm	1
	AVF/19/003/70	70 cm	1
	AVF/19/003/80	80 cm	1
	AVF/19/003/90	90 cm	1
	AVF/19/003/100	100 cm	1
	AVF/19/003/120	120cm	1
	AVF/19/003/150	150cm	1
	AVF/19/003/200	200cm	1

WĄŻ W OPŁOCIE STALOWYM DN25



AISI 304

EPDM

Nazwa	Kod	Długość	Op.
W 1" - W 1" 	AVF/25/001/30	30 cm	1
	AVF/25/001/40	40 cm	1
	AVF/25/001/50	50 cm	1
	AVF/25/001/60	60 cm	1
	AVF/25/001/70	70 cm	1
	AVF/25/001/80	80 cm	1
	AVF/25/001/90	90 cm	1
	AVF/25/001/100	100 cm	1
	AVF/25/001/120	120 cm	1
	AVF/25/001/150	150 cm	1
	AVF/25/001/200	200 cm	1
W 1" - Z 1" 	AVF/25/002/30	30 cm	1
	AVF/25/002/40	40 cm	1
	AVF/25/002/50	50 cm	1
	AVF/25/002/60	60 cm	1
	AVF/25/002/70	70 cm	1
	AVF/25/002/80	80 cm	1
	AVF/25/002/90	90 cm	1
	AVF/25/002/100	100 cm	1
	AVF/25/002/120	120 cm	1
	AVF/25/002/150	150 cm	1
	AVF/25/002/200	200 cm	1
KOL 1" - W 1" 	AVF/25/003/30	30 cm	1
	AVF/25/003/40	40 cm	1
	AVF/25/003/50	50 cm	1
	AVF/25/003/60	60 cm	1
	AVF/25/003/70	70 cm	1
	AVF/25/003/80	80 cm	1
	AVF/25/003/90	90 cm	1
	AVF/25/003/100	100 cm	1
	AVF/25/003/120	120 cm	1
	AVF/25/003/150	150 cm	1
	AVF/25/003/200	200 cm	1

Wąż zasilający do pralek i zmywarek (10x16)

WĄŻ DO PRALKI



Nazwa	Kod	Długość	Op.
Wąż PCV szary F3/4 - F3/4 	FF-100	100cm	1
	FF-150	150cm	1
	FF-200	200cm	1
	FF-250	250cm	1
	FF-300	300 cm	1
	FF-350	350 cm	1
	FF-400	400 cm	1
	FF-450	450 cm	1
	FF-500	500 cm	1
Wąż PCV szary F3/4 - CU3/4 	FFC-100	100cm	1
	FFC-150	150cm	1
	FFC-200	200cm	1
	FFC-250	250cm	1
	FFC-300	300 cm	1
	FFC-350	350 cm	1
	FFC-400	400 cm	1
	FFC-450	450 cm	1
	FFC-500	500 cm	1

USZCZELKI DO WĘŻY



Nazwa	Kod towaru	Cena	Op. szt.
uszczelka gumowa 3/8" 	UG38 9,5x14,5x2mm	0,11	100
uszczelka gumowa 1/2" 	UG12 10,0x18,0x2mm	0,15	100
uszczelka gumowa 3/4" 	UG34 22,5x14,0x2mm	0,18	100
uszczelka fibrowa 3/8" 	UF38 10,0x15,0x2mm	0,18	100
uszczelka fibrowa 1/2" 	UF12 11,0x18,5x2mm	0,18	100
uszczelka fibrowa 3/4" 	UF34 24,0x17,5x2mm	0,25	100
uszczelka fibrowa 1" 	UF1 30,0x23,5x1,8mm	0,31	100